Job Information Sheet

•	Job Number
•	P.O. or Contract Signed:
•	client: Lee County Old Beauregard High School
•	Billing: 2410 Society Hill Rd., Opelita, AL. 36804
•	Job Location: 7343 Alabama Highway 51, Opelika, AL. 36804
	Start Date: 03/26/18
•	Contact Name: Marcus Fuller + Thomas Vordenbaum
	> Phone Number: 334 - 734 - 9400
	> Email: Vondenbaum. thomas@lee. W.Z.al. US
•	ADEM Notification: 03 09 18
	> Submission Date:
•	Dumpster Company: Alabama Dumpster Service, LLC.
	> Order Date: 03 05 18 @ 09:11 AM
	> Delivery Date: 03 23 18



March 31, 2018

Mr. Philip Dunlap Alabama Restoration & Remediation, LLC 1905 4th Street, Suite A Northport, AL 35476

RE: Asbestos Air Monitoring & Visual Inspection

Lee County Board of Education

Beauregard High School

7343 AL-51

Opelika, AL 36804

Dear Philip:

I have enclosed the results for the air monitoring performed at the above referenced project. On March 27 – 29, 2018, approximately 4,5000 square feet of cementitious soffit and 7 Modine heaters were removed from the above referenced location. A visual inspection was performed of the work area after the work was completed. The area was cleared for ACM being removed within the scope of work. Phased Contrast Microscopy (PCM) was used to analyze the results.

The final clearance standard for re-occupancy is 0.010 fibers/cc. All samples analyzed were less than or equal to 0.010 fibers/cc and passed the re-occupancy standard. If you have any questions, please call me at 205-617-6124.

Sincerely,

BEAR CREEK CONTRACTING, INC.

Hammond Snook

Hammond Snook Asbestos Inspector AIN1017650492

STATE OF ALABAMA

NESHAPS	#

Department of Environmental Management Notice of Demolition and/or Asbestos Removal

1 Facility Name Re				
	auregard High School		County Lee	
Street Address 73			Project No.	
City Opelika		State AL Zip 36804	Site Surveyed	By Greg Durr
	75,000	# of Floors 1 Ag	re 49 Prior Use	School
Contact Person F	Philip Dunlap		Phone (20s	.) 750 0550
Exact Removal S	ite (room, floor, bui	lding, wing, unit, machi	ne, deck) Gymnasium, B	athrooms, Outside Gymnasium.
2. Facility Owner L	ee County Board of Educ	cation	Phone (334) 734-4200
Address 2410 Soc	iety Hill Road			State AL Zip 36804
3. Contractor's (Co	ompany) Name Alabar	ma Restoration & Remediati	on IIC	
Address 1905 4th	Street Suite A	City Northport		State AL Zip 35476
Phone (205)	758-9558	Alabama Cert	ification No. 6295425	7L 2117 30470
Site Contact Gree	a Durr		Phone (205) 758-9558
4. THIS (Check)				
` ,		THON LISA DEMO		ASBESTOS □IS ORDEREI
	noval Dates			olition Dates
Start 03/26/2018	Finish 03/31/20)18	Start	
Start	Finish		Start	Finish
Start			Start	Finish
Start			Start	Finish
Days: Sun [✓ Mon ✓ Lue ✓ V	Ved √ Thu √ Fri √	'∐Sat ∐All — Wo	ork Hours <u>10</u>
5. REMOVAL/DEN	MOLITION PROCE	DURES TO BE USED.	(Check all that apply)
		DURES TO BE USED. Heavy Equipment) □Burning*
✓Strip & Removal			☐Wrecking Ball	☐Burning*
✓Strip & Removal	☐Glove Bag	☐Heavy Equipment ☑Remove Intact M. <u>FRIABLE?</u> <u>I</u>	□Wrecking Ball □Explode (*Cor	☐Burning* ntact ADEM for requirement
☑Strip & Removal ☐Dry Method* 6. AMOUNT(S) AN	□Glove Bag ☑Wet Method RD TYPE(S) OF ACM	☐ Heavy Equipment ☑ Remove Intact M. <u>FRIABLE?</u> <u>I</u> Yes No	□Wrecking Ball □Explode (*Core REMAIN IN BLDG? Yes No	☐Burning* ntact ADEM for requirement
☑Strip & Removal ☑Dry Method* 6. AMOUNT(S) AN <u></u> Square Feet S	□Glove Bag ☑Wet Method RD TYPE(S) OF ACM Surface Mat	☐Heavy Equipment ☑Remove Intact M. <u>FRIABLE?</u> <u>I</u>	□Wrecking Ball □Explode (*Cor	☐Burning* ntact ADEM for requirement
☑Strip & Removal ☑Dry Method* 6. AMOUNT(S) AN ☑ Square Feet S Linear Feet I	□Glove Bag ☑Wet Method RD TYPE(S) OF ACM Surface Mat Pipe	☐ Heavy Equipment ☑ Remove Intact M. <u>FRIABLE?</u> <u>I</u> Yes No	□Wrecking Ball □Explode (*Core REMAIN IN BLDG? Yes No	☐Burning* ntact ADEM for requirement
✓Strip & Removal Dry Method* 6. AMOUNT(S) AN Square Feet S Linear Feet I 2480 Square Feet	□Glove Bag ☑Wet Method RD TYPE(S) OF ACM Surface Mat Pipe Transite	☐ Heavy Equipment ☑ Remove Intact M. <u>FRIABLE?</u> <u>I</u> Yes No	□Wrecking Ball □Explode (*Core REMAIN IN BLDG? Yes No	☐Burning* ntact ADEM for requirement
✓Strip & Removal Dry Method* 6. AMOUNT(S) AN Square Feet S Linear Feet I Square Feet ✓ Square Feet ✓	□Glove Bag ☑Wet Method FD TYPE(S) OF ACM Surface Mat Pipe Transite VAT	☐ Heavy Equipment ☑ Remove Intact M. <u>FRIABLE?</u> <u>I</u> Yes No	□Wrecking Ball □Explode (*Core REMAIN IN BLDG? Yes No	☐Burning* ntact ADEM for requirement
✓Strip & Removal Dry Method* 6. AMOUNT(S) AN Square Feet S Linear Feet I Square Feet S Square Feet S Square Feet S	□Glove Bag ☑Wet Method FD TYPE(S) OF ACM Surface Mat Pipe Transite VAT Asphalt Roof	☐ Heavy Equipment ☑ Remove Intact M. <u>FRIABLE?</u> <u>I</u> Yes No	□Wrecking Ball □Explode (*Core REMAIN IN BLDG? Yes No	☐Burning* ntact ADEM for requirement
✓Strip & Removal Dry Method* 6. AMOUNT(S) AN Square Feet S Linear Feet I Square Feet S Square Feet S Square Feet S	□Glove Bag ☑Wet Method FD TYPE(S) OF ACM Surface Mat Pipe Transite VAT Asphalt Roof	☐ Heavy Equipment ☑ Remove Intact M. <u>FRIABLE?</u> <u>I</u> Yes No	□Wrecking Ball □Explode (*Core REMAIN IN BLDG? Yes No	☐Burning* ntact ADEM for requirement
✓Strip & Removal Dry Method* 6. AMOUNT(S) AN Square Feet S Linear Feet I Square Feet S Square Feet S Square Feet I Other Modine 7. Waste Disposal	☐Glove Bag ☑Wet Method ED TYPE(S) OF ACM Surface Mat Pipe Transite VAT Asphalt Roof Heaters Site Tocwah Landfill, LL	Heavy Equipment ✓ Remove Intact M. FRIABLE? Yes No ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	□Wrecking Ball □Explode (*Core Core Cor	☐Burning* ntact ADEM for requirement
Strip & Removal Dry Method* 6. AMOUNT(S) AN Square Feet S Linear Feet I Square Feet I Square Feet I Other Modine 7. Waste Disposal Address 1761 Hu	☐Glove Bag ☑Wet Method ND TYPE(S) OF ACM Surface Mat Pipe Transite VAT Asphalt Roof Heaters Site Tocwah Landfill, LL nter Loop Road	Heavy Equipment ✓ Remove Intact M. FRIABLE? Yes No ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	□Wrecking Ball □Explode (*Core Core Cor	☐Burning* ntact ADEM for requirement
✓Strip & Removal Dry Method* 6. AMOUNT(S) AN Square Feet S Linear Feet I Square Feet S Square Feet S Square Feet I Other Modine 7. Waste Disposal	☐Glove Bag ☑Wet Method ND TYPE(S) OF ACM Surface Mat Pipe Transite VAT Asphalt Roof Heaters Site Tocwah Landfill, LL nter Loop Road	Heavy Equipment ✓ Remove Intact M. FRIABLE? Yes No ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	□Wrecking Ball □Explode (*Core of the core of the cor	☐Burning* ntact ADEM for requirement DETECTION METHOD(
Strip & Removal Dry Method* 6. AMOUNT(S) AN Square Feet S Linear Feet I 2480 Square Feet S Square Feet I Square Feet I Other Modine 7. Waste Disposal Address 1761 Hui Contact Ladon Da	☐Glove Bag ☑Wet Method RD TYPE(S) OF ACM Surface Mat Pipe Transite VAT Asphalt Roof Heaters Site Tocwah Landfill, LL nter Loop Road ansby	Heavy Equipment ✓ Remove Intact M. FRIABLE? Yes No ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	□ Wrecking Ball □ Explode (*Con REMAIN IN BLDG? Yes No □	Burning* ntact ADEM for requirement. DETECTION METHOD(State AL Zip 36108 rmit Number 51-10
Strip & Removal Dry Method* 6. AMOUNT(S) AN Square Feet S Linear Feet I Square Feet S Square Feet I Other Modine 7. Waste Disposal Address 1761 Hut Contact Ladon Da 8. Waste Transpon	☐Glove Bag ☑Wet Method ND TYPE(S) OF ACM Surface Mat Pipe Transite VAT Asphalt Roof Heaters Site Tocwah Landfill, LL nter Loop Road	Heavy Equipment ✓ Remove Intact M. FRIABLE? Yes No ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	□ Wrecking Ball □ Explode (*Cor REMAIN IN BLDG? Yes No □	Burning* ntact ADEM for requirement. DETECTION METHOD(State AL Zip 36108 rmit Number 51-10 334) 288-1500
✓ Strip & Removal ☐ Dry Method* 6. AMOUNT(S) AN ☐ Square Feet S ☐ Linear Feet I 2480 Square Feet S ☐ Square Feet I Other Modine 7. Waste Disposal Address 1761 Hui Contact Ladon Da 8. Waste Transpor	☐Glove Bag ☑Wet Method RD TYPE(S) OF ACM Surface Mat Pipe Transite VAT Asphalt Roof Heaters Site Tocwah Landfill, LL nter Loop Road ansby rter Name Alabama Du	Heavy Equipment ✓ Remove Intact M. FRIABLE? Yes No ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	□ Wrecking Ball □ Explode (*Cor REMAIN IN BLDG? Yes No □	Burning* ntact ADEM for requirements DETECTION METHOD(State AL Zip 36108 rmit Number 51-10
✓ Strip & Removal □ Dry Method* 6. AMOUNT(S) AN □ Square Feet S □ Linear Feet I 2480 Square Feet S Square Feet I Other Modine 7. Waste Disposal Address 1761 Hun Contact Ladon Da 8. Waste Transpon Address P.O. Box 279	☐Glove Bag ☑Wet Method RD TYPE(S) OF ACM Surface Mat Pipe Transite VAT Asphalt Roof Heaters Site Tocwah Landfill, LL nter Loop Road ansby rter Name Alabama Du	Heavy Equipment ✓ Remove Intact M. FRIABLE? Yes No ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	□ Wrecking Ball □ Explode (*Cor REMAIN IN BLDG? Yes No □	Burning* ntact ADEM for requirement DETECTION METHOD(State AL Zip 36108 rmit Number 51-10 334) 288-1500
✓ Strip & Removal □ Dry Method* 6. AMOUNT(S) AN □ Square Feet S □ Linear Feet I 2480 Square Feet S Square Feet I Square Feet I Other Modine 7. Waste Disposal Address 1761 Hur Contact Ladon Date 8. Waste Transport Address P.O. Box 279 9. Procedure(s) for the street of the street II Other Modine	☐Glove Bag ☑Wet Method RD TYPE(S) OF ACM Surface Mat Pipe Transite VAT Asphalt Roof Heaters Site Tocwah Landfill, LL nter Loop Road ansby rter Name Alabama Du	Heavy Equipment Remove Intact M. FRIABLE? Yes No V V V V V V C City Montgome Phone (334 mpster Service, LLC City Hope Hull Stop work and call ADEM	□ Wrecking Ball □ Explode (*Cor REMAIN IN BLDG? Yes No □	Burning* ntact ADEM for requirements DETECTION METHOD(State AL Zip 36108 rmit Number 51-10 334) 288-1500

WHO MUST SUBMIT A NOTIFICATION FORM?

Regulations require that someone (usually a contractor, property owner or consultant) submit a notification to the appropriate agency 10 weekdays prior to disturbing any regulated asbestos-containing material (RACM) or beginning demolition. Specifically, a notification must be submitted if one of the three following situations exists:

- 1. It is a renovation project and at least 260 linear feet or 160 square feet or 35 cubic feet of RACM is to be removed.
- 2. It is a demolition project with or without asbestos-containing material (ACM).
- 3. A structure is going to be burned for fire training.

WHAT IS REGULATED ASBESTOS-CONTAINING MATERIAL?

RACM has greater than 1% asbestos by weight and includes friable and nonfriable forms. ("Friable" means that it can be crushed to powder by hand pressure.) RACM can include: (1) Friable ACM, such as pipe and elbow insulation, storage vessel insulation, and spray-applied applications such as fireproofing, soundproofing, or decoration. (2) Category I nonfriable ACM such as vinyl floor tile and mastic, asphalt roofing products, gaskets and packing which have become friable or will be subject to sanding, grinding, cutting or abrading. Please be aware that some older sheet vinyl (linoleum) has an asbestos-containing felt backing which can turn to powder (hecome friable) under certain circumstances. You must be careful with it. (3) Category II nonfriable ACM such as transite and cementitious siding or roofing which have a high probability of becoming crumbled, pulverized, or reduced to powder during renovation or demolition activities.

WHAT ARE SOME OTHER REGULATORY REQUIREMENTS?

A structure must be surveyed by a licensed inspector before renovation or demolition or burning for training. Friable and Category II nonfriable ACM must be removed from a structure before demolishing it. Category I nonfriable ACM can usually be left in the structure during demolition, if no materials are going to be recycled. Friable ACM must be wetted before, during and after removal until soaked through. It should be containerized while wet and properly labeled. Friable ACM must be disposed of as special waste, regardless of amount. Non friable ACM can usually be disposed of as general or construction waste. It is best to check with the landfill or waste hauler first. Removed Category II nonfriable ACM must be disposed of separately. RACM must be removed by an organization certified by the Alabama Department of Environmental Management (ADEM). (NOTE: All ACM must be removed from a structure before burning for training.)

ARE THERE ANY EXEMPTIONS?

Residential buildings of 4 or less units that remain residential property are exempt from asbestos regulations, but they must comply with disposal regulations. (This residential exemption puts homeowners at risk!)

HOW ARE NOTIFICATIONS SUBMITTED?

Original notifications may be sent by U.S. Mail, special delivery service, hand-delivered or by e-mail (most common method). Revisions to notifications and courtesy notifications may be sent by facsimile transmission, but usually by e-mail. They must be sent to one of the 3 individuals/organizations below, depending upon the location of the renovation/demolition.

City of Huntsville: Mr. Scott Cardno Department of Natural Resources and Environmental Management City of Huntsville P.O. Box 308 Huntsville, AL 35804-0308 PH: 256/427-5750

PH: 256/427-5750 FAX: 427-5751 (Street Address) 320 Fountain Circle Huntsville, AL 35801-4240 E. mail: Seatt Conduc Chamber ill

E-mail: Scott.Cardno@huntsvilleal.gov

Jefferson County (collects job fees):

Mr. Craig Tucker

Air and Radiation Protection Division
Jefferson County Department of Health

P.O. Box 2648

Birmingham, AL 35202-2648

PH: 205/930-1204 FAX: 939-3019 (Street Address:) 400 6th Avenue South Birmingham, AL 35233-1598 E-mail: craig.tucker@jcdh.org All other areas: Mr. Don Barron ADEM—Air Division P.O. Box 301463

Montgomery, AL 36130-1463 PH: 334/271-7879 FAX: 279-3044)

(Street Address:) 1400 Coliseum Boulevard Montgomery, AL 36110-2059

E-mail: asbestosmail@adem.state.al.us